

## WHEELS

## TECH DATA

### ROAD - RIM BRAKE

	NOMINAL WEIGHT [g]*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

### AERO CARBON WHEELS

BORA™ ULTRA™ TT rear tub.	864	carbon	D/20		B		carb							130	alu	•	C	black		9/10/11/12
BORA™ ULTRA™ TT rear tub. (HG)	864	carbon	D/20		B		carb		carbon					130	alu	•	C	black		9/10/11
BORA™ WTO 77 2-Way Fit™ front	755	carbon	77/26,5	•	B		UD	16	RDB	SS	UAE DB		alu	130	alu	•	C	black	•	
BORA™ WTO 60 2-Way Fit™ front	688	carb	60/26,5	•	B/D		UD	18	RDB	SS	UAE DB		alu	100	alu	•	U	black	•	
BORA™ WTO 60 2-Way Fit™ rear	859	carb	60/26,5	•	B/D		UD	21/G3™	RDB	SS	UAE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ WTO 60 2-Way Fit™ rear (HG)	859	carb	60/26,5	•	B/D		UD	21/G3™	RDB	SS	UAE DB		alu	130	alu	•	U	black	•	9/10/11
BORA™ WTO 45 2-Way Fit™ front	657	carb	45/26,5	•	B/D		UD	18	RDB	SS	UAE DB		alu	100	alu	•	U	black	•	
BORA™ WTO 45 2-Way Fit™ rear	839	carb	45/26,5	•	B/D		UD	21/G3™	RDB	SS	UAE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ WTO 45 2-Way Fit™ rear (HG)	839	carb	45/26,5	•	B/D		UD	21/G3™	RDB	SS	UAE DB		alu	130	alu	•	U	black	•	9/10/11

### PERFORMANCE CARBON WHEELS

BORA™ ULTRA™ 35 front tub.	480	carb	35/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	carb	•	C	blk/carb	•	
BORA™ ULTRA™ 35 rear tub.	690	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11/12
BORA™ ULTRA™ 35 rear tub. (HG)	690	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front tub.	520	carb	50/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	carb	•	C	carb	•	
BORA™ ULTRA™ 50 rear tub.	695	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11/12
BORA™ ULTRA™ 50 rear tub. (HG)	695	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front tub.	505	carb	35/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	alu	•	U	black	•	
BORA™ ONE 35 rear tub.	710	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ ONE 35 rear tub. (HG)	710	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front tub.	545	carb	50/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	alu	•	U	black	•	
BORA™ ONE 50 rear tub.	720	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ ONE 50 rear tub. (HG)	720	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11
BORA™ ULTRA™ 35 front cl.	575	carb	35/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	carb	•	C	blk/carb	•	
BORA™ ULTRA™ 35 rear cl.	785	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11/12
BORA™ ULTRA™ 35 rear cl. (HG)	785	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front cl.	630	carb	50/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	carb	•	C	carb	•	
BORA™ ULTRA™ 50 rear cl.	805	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11/12
BORA™ ULTRA™ 50 rear cl. (HG)	805	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front cl.	600	carb	35/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	alu	•	U	black	•	
BORA™ ONE 35 rear cl.	805	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ ONE 35 rear cl. (HG)	805	carb	35/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front cl.	655	carb	50/24,2		B/D		carb	18	RDB	SS	AE DB		alu	100	alu	•	U	black	•	
BORA™ ONE 50 rear cl.	830	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11/12
BORA™ ONE 50 rear cl. (HG)	830	carb	50/24,2		B/D		carb	21/G3™	RDB	SS	AE DB		alu	130	alu	•	U	black	•	9/10/11

#### KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance  
B=Bright - D=Dark - BLK SAT=black satinized

\* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.

## WHEELS

## TECH DATA

### ROAD - RIM BRAKE

### ALUMINIUM WHEELS

	NOMINAL WEIGHT [g]*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NIPPLE MATERIAL	O.L.D. [mm]	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
SHAMAL™ MILLE™ front cl.	638	alu	24-27/22		D	blk sat	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ MILLE™ rear cl.	821	alu	27-30/22		D	blk sat	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ MILLE™ rear cl. (HG)	821	alu	27-30/22		D	blk sat	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ front cl.	623	alu	24-27/22		B	black	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ ULTRA™ rear cl.	826	alu	27-30/22		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ ULTRA™ rear cl. (HG)	826	alu	27-30/22		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ front	641	alu	24-27/22	•	B	black	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ ULTRA™ 2-Way Fit™ rear	834	alu	27-30/22	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	834	alu	27-30/22	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
ZONDA™ front cl.	678	alu	24-27/22		B	black	16		RDB	SS	AE DB		BR	100	alu	•	S	black	•	
ZONDA™ rear cl.	862	alu	27-30/22		B	black	21/G3™		RDB	SS	AE DB		BR	130	alu	•	S	black	•	9/10/11/12
ZONDA™ rear cl. (HG)	862	alu	27-30/22		B	black	21/G3™		RDB	SS	AE DB		BR	130	alu	•	S	black	•	9/10/11
SCIROCCO™ front cl.	820	alu	35/22		B	• black	16			SS	AE DB		alu	100	alu		S	black	•	
SCIROCCO™ rear cl.	935	alu	35/22		B	• black	21/G3™			SS	AE DB		alu	130	alu		S	black	•	9/10/11/12
SCIROCCO™ rear cl. (HG)	935	alu	35/22		B	• black	21/G3™			SS	AE DB		alu	130	alu		S	black	•	9/10/11
KHAMSIN™ front cl.	813	alu	24/22		B	• black	18			S		•	BR	100	alu		S	black	•	
KHAMSIN™ rear cl.	993	alu	27,5/22		B	• black	24/G3™			S/SS		•	BR	130	alu		S	black	•	9/10/11/12
KHAMSIN™ rear cl. (HG)	993	alu	27,5/22		B	• black	24/G3™			S/SS		•	BR	130	alu		S	black	•	9/10/11
CALIMA™ front cl.	789	alu	24/22		B	• black	18			S			BR	100	alu		S	black	•	
CALIMA™ rear cl.	1037	alu	24/22		B	• black	27/G3™			S			BR	130	alu		S	black	•	9/10/11/12
CALIMA™ rear cl. (HG)	1089	alu	24/22		B	• black	27/G3™			S			BR	130	alu		S	black	•	9/10/11

### TRIATHLON - TIME TRIAL

BORA™ ULTRA™ TT rear tub.	864	carbon	D/20		B	carb				carbon				130	alu	•	C	black	•	9/10/11/12
BORA™ ULTRA™ TT rear tub. (HG)	864	carbon	D/20		B	carb				carbon				130	alu	•	C	black	•	9/10/11

### PISTA

GHIBLI™ front tub. track	800	carb	D/20											100	alu	•	C		•	
GHIBLI™ rear tub. track	825	carb	D/20											120	alu	•	C		•	
BORA™ ULTRA™ 80 front tub. track	705	carb	80/20		B	carb	16		RDB	SS	AE DB		alu	100	carb	•	C	blk/carb	•	

#### KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance  
B=Bright - D=Dark - BLK SAT=black satinized

\* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.

## WHEELS

## TECH DATA

### ROAD - DISC BRAKE

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	-----------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

### AERO CARBON WHEELS

BORA™ WTO 45 DB 2-Way Fit™ front	708	carb	45/26,5	•	D	UD	21/G3™		RDB	SS	UAE DB	alu	100	alu	•	U	black	•		
BORA™ WTO 45 DB 2-Way Fit™ rear	812	carb	45/26,5	•	D	UD	21/G3™		RDB	SS	UAE DB	alu	142	alu	•	U	black	•		9/10/11/12
BORA™ WTO 45 DB 2-Way Fit™ rear (HG)	812	carb	45/26,5	•	D	UD	21/G3™		RDB	SS	UAE DB	alu	142	alu	•	U	black	•		9/10/11
BORA™ WTO 45 DB 2-Way Fit™ rear (XDR)	805	carb	45/26,5	•	D	UD	21/G3™		RDB	SS	UAE DB	alu	142	alu	•	U	black	•		12

### PERFORMANCE CARBON WHEELS

BORA™ ONE 35 DB front cl.	690	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 DB rear cl.	793	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 DB rear cl. (HG)	793	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11
BORA™ ONE 35 DB rear cl. (XDR)	793	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		12
BORA™ ONE 35 DB front tub.	585	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 DB rear tub.	691	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 DB rear tub. (HG)	691	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11
BORA™ ONE 50 DB front cl.	702	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 DB rear cl.	805	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 DB rear cl. (HG)	805	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11
BORA™ ONE 50 DB rear cl. (XDR)	798	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		12
BORA™ ONE 50 DB front tub.	622	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 DB rear tub.	726	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 DB rear tub. (HG)	726	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	142	alu	•	U	black	•		9/10/11

### ALUMINIUM WHEELS

SHAMAL™ ULTRA™ DB 2-Way Fit™ front	738	alu	24-27/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	100	alu/carb	•	U	blk/carb	•		
SHAMAL™ ULTRA™ DB 2-Way Fit™ rear	854	alu	27-30/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	142	alu	•	U	black	•		9/10/11/12
SHAMAL™ ULTRA™ DB 2-Way Fit™ rear (HG)	842	alu	27-30/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	142	alu	•	U	black	•		9/10/11
ZONDA™ DB front cl.	786	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	100	alu	•	S	black	•		
ZONDA™ DB rear cl.	889	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	135-142	alu	•	S	black	•		9/10/11/12
ZONDA™ DB rear cl. (HG)	889	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	135-142	alu	•	S	black	•		9/10/11
SCIROCCO™ DB 2-Way Fit™ ready front	819	alu	33/23,5	•	B	• black	21/G3™			SS		alu	100	alu		S	black			
SCIROCCO™ DB 2-Way Fit™ ready rear	920	alu	33/23,5	•	B	• black	21/G3™			SS		alu	135-142	alu		S	black			9/10/11/12
SCIROCCO™ DB 2-Way Fit™ ready rear (HG)	920	alu	33/23,5	•	B	• black	21/G3™			SS		alu	135-142	alu		S	black			9/10/11

#### KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance  
B=Bright - D=Dark - BLK SAT=black satinized

\* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.

## CAMPAGNOLO® SERVICE CENTER

The Service Center is the reference point for all Campagnolo® dealers and its aim is to provide an adequate after-sales service to Campagnolo® users. Service Centers are a territorial extension of Campagnolo srl and work exclusively with dealers, no exceptions made. The Service Centers handle two activities: After-sales Service and Spare Parts Service.

The After-sales Service provides technical assistance for products under guarantee or otherwise, enabling cyclists to enjoy the first-class characteristics of Campagnolo® products for long, without forfeiting safety, performance and endurance. The Spare Parts Service handles the distribution of spare parts. Campagnolo® possesses a large inventory of spare parts and is able to replenish its distribution system adequately in relatively short times.

We therefore advise you to refer to your Campagnolo® dealer for any expert action required by your bikes - these dealers are the only ones supported by the constant, skilled collaboration of Campagnolo® Service Centers.

### TECHNICAL INFORMATION

<b>ITALY (CENTRAL)</b> Tel. +39-0444-225600 Fax: +39-0444-225606	<b>FRANCE</b> Tel. +33-477-554449 Fax: +33-477-556345	<b>GERMANY</b> Tel. +49-214-206953-20 Fax: +49-214-206953-15
<b>SPAIN</b> Tel. +34-945-217195 Fax: +34-945-217198	<b>U.S.A.</b> Tel. +1-760-9310106 Fax: +1-760-9310991	<b>JAPAN</b> Tel. +81-45-264-2780 Fax: +81-45-241-8030



CAMPAGNOLO® SERVICE CENTER list at [www.campagnolo.com/WW/en/Support/service\\_center](http://www.campagnolo.com/WW/en/Support/service_center)

## CAMPAGNOLO® SALES NETWORK

### HEADQUARTERS

**CAMPAGNOLO S.R.L.**  
Via della Chimica, 4  
36100 Vicenza - ITALY  
Tel. +39-0444-225500  
Fax: +39-0444-225400  
E-mail: [sales@campagnolo.com](mailto:sales@campagnolo.com)

### BRANCH OFFICES

**FRANCE**  
CAMPAGNOLO FRANCE SAS  
ZA du Tissot  
42530 St GENEST - LERPT  
Tel. +33-477-556305  
Fax: +33-477-556345  
E-mail: [campagnolo@campagnolo.fr](mailto:campagnolo@campagnolo.fr)

**JAPAN**  
CAMPAGNOLO JAPAN LTD  
65 Yoshidamachi, Naka-ku,  
YOKOHAMA  
231-0041  
Tel. +81-45-264-2780  
Fax: +81-45-241-8030  
E-mail: [info@campagnolo.jp](mailto:info@campagnolo.jp)

**TAIWAN**  
PRIMATEK LTD  
No. 1, Gongyequ 37th Rd.,  
Xitun Dist.,  
Taichung City 407, Taiwan R.O.C.  
Tel. +886-4-23506831  
Fax: +886-4-23596764

### BRANCH OFFICES

**GERMANY**  
CAMPAGNOLO DEUTSCHLAND  
GMBH  
Alte Garten 62  
51371 LEVERKUSEN  
Tel. +49-214-206953-0  
Fax: +49-214-206953-15  
E-mail: [campagnolo@campagnolo.de](mailto:campagnolo@campagnolo.de)

**SPAIN**  
CAMPAGNOLO IBERICA S.L.  
Avda. de Los Huetos 46.  
Pab. 31 - 01010 VITORIA  
Tel. +34-945-217195  
Fax: +34-945-217198  
E-mail: [campagnolo@campagnolo.es](mailto:campagnolo@campagnolo.es)

**UNITED STATES**  
CAMPAGNOLO NORTH AMERICA  
INC.  
5431 Avenida Encinas, Suite C -  
CARLSBAD CA 92008 - U.S.A.  
Tel. +1-760-9310106  
Fax: +1-760-9310991  
E-mail: [info@campagnolona.com](mailto:info@campagnolona.com)

### AGENT

**BENELUX**  
INTERNATIONAL  
CYCLE CONNECTION I.C.C.  
Communicatielaan 5A  
4538 BV TERNEUZEN  
NETHERLAND  
Tel. +31 (0)115 649321  
Fax: +31 (0)115 649110  
E-mail: [info@i-c-c.nl](mailto:info@i-c-c.nl)  
Web: [www.i-c-c.nl](http://www.i-c-c.nl)



CAMPAGNOLO® SALES NETWORK list at [www.campagnolo.com/WW/en/Support/sales\\_network](http://www.campagnolo.com/WW/en/Support/sales_network)




**NEED HELP?**

Go to a Pro-Shop. They'll be able to offer you all the assistance you need.

[FIND THE NEAREST STORE >](#)

Didn't you find stores near your home?  
Please contact the service center in your country.



[FIND THE NEAREST STORE >](#)

Didn't you find stores near your home?  
Please contact the service center in your country.



# Campagnolo

## CAMPAGNOLO S.R.L.

Via della Chimica, 4  
36100 Vicenza - ITALY  
Phone: +39 0444 225500  
Fax: +39 0444 225400

[www.campagnolo.com](http://www.campagnolo.com)

Campagnolo®, Campy™, Super Record™, Record™, Chorus™, Athena™, Potenza 11™, EPS™, CT™, Centaur™, Veloce™, Mirage™, Xenon™, MyCampy™, MyGarage™, MyEPS™, MySessions™, ESP™, ESP™ ACTUATION SYSTEM™, Ultra-Shift™, Vari-Cushion™, No-Bulge™, OS-Fit™, Ultra-Link™, CULT™, USB™, XPS™, MPS™, Power Torque System™, Power Torque +™, Power-Shift™, Embrace Technology™, S2 System™, CSD™, AMS™, BE 11™, Revolution 11™, Campy Tech Lab™, 2-Way Fit™, Ultra-Fit™ Tubeless, 3Diamant™, Hyperon™, Neutron™, Proton™, Eurus™, Zonda™, Scirocco™, Vento™, Vento Asymmetric™, Bora™, Ghibli™, Pista™, Khamsin™, Khamsin Asymmetric™, Calima™, Shamal™, Bullet™, Time Trial™, Ergobrain™, Symmetric Action™, Z-shape™, M-brace™, Even-O™, Superlative™, Floating-Link-Action™, HD-Link™, HD-L™, Exa-Drive™, Ultra-Drive™, Pro-Fit™, Pro-Fit PLUS™, Differential brakes™, Threadless™, Hiddenset™, Hiddenset TT™, TT™, Ergopower™, BB System™, C10™, C9™, ED™, UD™, Ultra Narrow™, Over-Torque™, UT™, Ultra-Torque™, Over-Torque™ Technology, Ultra-Hollow™, Skeleton™, Quick Shift™, QS™, Escape™, Infinite™, Champ Triple™, Race Triple™, Comp Triple™, HPW™, Mega-G3™, G3™, Grouped Spokes™, DPRO™, Dual Profile™, Ultralinear-Geometry™, Ultralinear™, Differential rims™, Differential spokes™, Ultra™, Ultra Aero™, DRSC™, RDB™, Spokes Anti-Rotation System™, Spoke Dynamic Balance™, AC3™, Comp Ultra™, Comp One™, 3Diamant™, Dynamic Balance™, Full Carbon™, Multidirectional™, Unidirectional™, AC-HT™, AC-ST™, SC-ST™, Big™, Miro™, Pro-Shop™, Tecnologia ed Emozione™, Pure Performance™, are Campagnolo Srl trademarks.

QR Code® is registered trademarks of DENSO WAVE INCORPORATED.  
Copyright(C) 2000-2010  
DENSO WAVE INCORPORATED  
All right reserved

Credits:

Racing photos: © 2019 Getty Images  
© 2019 Yuzuru Sunada (p. 4-15)  
Hour Record photos: © Lotto Soudal-Facepeeters





